

INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)		ATTY. DOCKET NO. PC11861A		SERIAL NO. 10/081,784	
EXAMINER INITIAL		APPLICANT Frank Lombardo, et al.			
FILING DATE 02/21/2002		GROUP 2857-1793			
U.S. PATENT DOCUMENTS					
DOCUMENT NUMBER		DATE		NAME	
FOREIGN PATENT DOCUMENTS					
DOCUMENT NUMBER		DATE		COUNTRY	
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)					
✓		Abraham, M., et al., <i>Hydrogen bonding XXXV. Relationship between high-performance liquid chromatography capacity factors and water-octanol partition coefficients</i> , J. Chromatogr. Vol. 685: 203-211, 1994			
✓		Adams, G., et al., <i>Structure-activity relationships in the development of hypoxic cell radiosensitizers</i> , Int. J. Radiat. Biol. Vol. 35 (2): 133-150, 1979			
✓		Alessi-Severini, S., et al., <i>Flecainide</i> , In Analytical profiles of drug substances and excipients, Vol. 21: 169-195, 1992			
✓		Anderson, B., et al., <i>Effects of lipophilicity of nitroimidazoles on radiosensitization of hypoxic bacterial cells in vitro</i> , Br. J. Cancer, Vol. 39: 705-710, 1979			
✓		Artursson, P., et al., <i>Correlation between oral drug absorption in humans and apparent drug permeability coefficients in human intestinal epithelia (Caco-2) cells</i> , Biochem. Biophys. Res. Comm., Vol. 175(3): 880-885, 1991			
✓		Avdeef, A., <i>Assessment of distribution-pH profiles. Lipophilicity in drug action and toxicology</i> , CH. 7: 110-139, 1996			
✓		Barbato, F., et al., <i>Hydrophobic constants and quantitative structure activity relationships (QSAR) in sets of phenothiazine drugs</i> , Eur. J. Med. Chem. - Chim. Ther., Vol. 17(3): 229-234, 1982			
✓		Barbato, F., et al., <i>Chromatographic indices determined on an immobilized artificial membrane (IAM) column as descriptors of lipophilic and polar interactions of 4-phényldihydropyridine calcium-channel blockers with biomembranes</i> , Eur. J. Med. Chem., Vol. 31: 311-318, 1996			
✓		Barbato, F., et al., <i>Relationships between octanol-water partition dal, chromatographic indices and their dependence on pH in a set of beta-adrenoceptor blocking agents</i> , Il Farmaco, Vol. 45(6): 647-663, 1990			
✓		Berthod, A., et al., <i>Hydrophobicity of ionizable compounds. A theoretical study and measurements of diuretic octanol-water partition coefficients by countercurrent chromatography</i> , Anal. Chem., Vol. 71: 879-888, 1999			
✓		Büchi, V., et al., <i>Zusammenhänge zwischen der chemischen Konstitution, den physikalisch-chemischen Eigenschaften, der chemischen reaktivität und der lokalenästhetischen Wirksamkeit einiger Procain-Isostere</i> , Arzneim.-Forsch., Vol. 22: 1071-1084, 1972			
✓		Bundgaard, H., et al., <i>Allopurinol prodrugs. II. Synthesis, hydrolysis kinetics and physicochemical properties of various N-acyloxymethyl allopurinol derivatives</i> , Inter. J. Pharm., Vol. 24: 307-325, 1985			
✓		Camenisch, G., et al., <i>Estimation of permeability by passive diffusion through Caco-2 cell monolayers using the drugs' lipophilicity and molecular weight</i> , Eur. J. Pharm. Sci., Vol. 6:313-319, 1998			
✓		Carelli, V., et al., <i>Enhancement effects in the permeation of Alprazolam through hairless mouse skin</i> , Inter. J. Pharm., Vol. 88: 89-97, 1992			
EXAMINER JAN LUDLOW PRIMARY EXAMINER		DATE CONSIDERED		RECEIVED OCT 14 2003 TC 1700	

INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)				ATTY. DOCKET NO. PC11861A				SERIAL NO. 10/081,784							
				APPLICANT Frank Lombardo, et al.											
				FILING DATE 02/21/2002				GROUP 28521743							
U.S. PATENT DOCUMENTS															
EXAMINER INITIAL		DOCUMENT NUMBER				DATE		NAME		CLASS		SUBCLASS		FILING DATE IS APPROPRIATE	
FOREIGN PATENT DOCUMENTS												RECEIVED			
DOCUMENT NUMBER						DATE		COUNTRY		SUBCLASS		TRANSLATION			
												YES NO			
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)															
		Carmichael, F., et al., <i>In Vitro</i> inhibitory effects of narcotic analgesics and other psychotropic drugs on the active uptake of norepinephrine in mouse brain tissue, <i>J. Pharmacol. Exp. Ther.</i> , Vol. 186(2): 253-260, 1973													
		Fujita, T., et al., A new substituent constant, π , derived from partition coefficients, <i>J. Am. Chem. Soc.</i> , Vol. 86: 5175-5180, 1965													
		Graf, E., et al., pK- und V _k -Messungen an Benzodiazepinen, <i>Pharm. Ums. Zeit.</i> , Vol. 6: 171-178, 1977													
		Hansch, E., et al., Structure-Activity relationship of chloramphenicols, <i>J. Med. Chem.</i> , Vol. 16(8): 917-922, 1973													
		Hansch, E., et al., Exploring QSAR. Hydrophobic, Electronic, and Steric Constants, American Chemical Society, Washington, D.C., 3-216, 1995													
		Henczi, M., et al., Determination of octanol-water partition coefficients by an HPLC method for anticonvulsant structure-activity studies, <i>J. Pharm. Pharmacol.</i> , Vol. 47: 345-347, 1995													
		Iwasa, J., et al., Substituent constants for aliphatic functions obtained from partition coefficients, <i>J. Med. Chem.</i> , Vol. 8: 150-153, 1965													
		Jezequel, S., Fluconazole: Interspecies scaling and allometric relationships of pharmacokinetic properties, <i>J. Pharm. Pharmacol.</i> , Vol. 46: 196-199, 1994													
		Kaufman, J., et al., Microelectrometric titration measurement of the pK _a 's and partition and drug distribution coefficients of narcotics and narcotic antagonists and their pH and temperature dependence, <i>J. Med. Chem.</i> , Vol. 18(7): 647-655, 1975													
		Lacko, L., et al., The affinities of Benzodiazepines to the transport protein of glucose in human erythrocytes, <i>Arzneim.-Forsch/Drug Res.</i> , Vol. 34(1): 403-407, 1984													
		La Rotonda, et al., Relationships between octanol-water partition data, chromatographic indices and their dependence on pH in a set of nonsteroidal anti-inflammatory drugs, <i>Quant. Struct.-Act. Relat.</i> , Vol. 2: 168-173, 1983													
		Lipinski, C., et al., Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings, <i>Advanced Drug Delivery Reviews</i> , Vol. 23: 3-25, 1997													
		Lombardo, F., et al., ElogP _{oc} : A tool for lipophilicity determination in drug discovery, <i>J. Med. Chem.</i> , Vol. 43(15): 2922-2928, 2000													
EXAMINER		JAN LUDLOW PRIMARY EXAMINER										DATE CONSIDERED			
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.															

INFORMATION DISCLOSURE

INFORMATION DISCLOSURE CITATION (Use separate sheets if necessary)				ATTY. DOCKET NO. PC11861A				SERIAL NO. 10/081,784			
				APPLICANT Frank Lombardo, et al.							
				FILING DATE 02/21/2002				GROUP 2857 17 43			

U.S. PATENT DOCUMENTS											
EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE					

FOREIGN PATENT DOCUMENTS													
DOCUMENT NUMBER								DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)											
	Lombardo, F., et al., <i>ElogD_{od}: A tool for lipophilicity determination in drug discovery. 2. Basic and neutral compounds</i> , <u>J. Med. Chem.</u> , Vol. 44(15): 2490-2497, 2001										
	Lüllmann, H., et al., <i>The binding of drugs to different polar lipids in vitro</i> , <u>Biochem. Pharmacol.</u> , Vol. 28: 3409-3415, 1979										
	Maillard, C., et al., <i>Design, synthesis, and pharmacological evaluation of conformationally constrained analogues of N,N-diaryl- and N-Aryl-N-alkylguanidines as potent inhibitors of neuronal Na⁺ channels</i> , <u>J. Med. Chem.</u> , Vol. 41, 3048-3061, 1998										
	Manners, C. et al., <i>Lipophilicity of zwitterionic sulphate conjugates of tiaramide, propranolol and 4'-hydroxypropranolol</i> , <u>Xenobiotica</u> , Vol. 19(12): 1387-1397, 1989										
	Melander, W., et al., <i>Stationary phase effects in reversed-phase chromatography I. Comparison of energetics of retention on alkyl-silica bonded phases</i> , <u>J. Chromatogr.</u> , Vol. 199: 35-56, 1980										
	Meuldemans, W., <i>Plasma protein binding and distribution of fentanyl, sufentanil, alfentanil and lofentanil in blood</i> , <u>Arch. Int. Pharmacodyn.</u> , Vol. 257: 4-19, 1982										
	Minick, D., et al., <i>Modeling octanol-water partition coefficients by reversed-phase liquid chromatography</i> , <u>J. Chromatogr.</u> , Vol. 461: 177-191, 1989										
	Minick, D., et al., <i>A comprehensive method for determining hydrophobicity constants by reversed-phase high-performance liquid chromatography</i> , <u>J. Med. Chem.</u> , Vol. 31: 1923-1933, 1988										
	Mohler, V., et al., <i>On Chemistry and synthesis of 3,7-dimethyl-1-(5-oxo-hexyl)-xanthine</i> , <u>Arzneim.-Forsch.</u> , Vol. 21: 1159-1160, 1971										
	Morelock, M., et al., <i>Estimation and correlation of drug water solubility with pharmacological parameters required for biological activity</i> , <u>J. of Pharm. Sci.</u> , Vol. 83(7): 948-952, 1994										
	Möller, W., et al., <i>Interactions of benzodiazepines with human serum albumin, Circular Dichroism Study</i> , <u>Arch. Pharmacol.</u> , Vol. 278: 301-312, 1973										
	O'Connor, D., et al., <i>Influence of physicochemistry on the brain penetration of the triptans in rat</i> , <u>Poster presented at the XIV Course in Drug Research</u> , Helsinki, Finland, June 5-8, 1997										

EXAMINER <div style="text-align: center;"> JAN LUDLOW PRIMARY EXAMINER </div>	DATE CONSIDERED
----------------------------------------------------------------------------------------------------------------	--------------------------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)				ATTY. DOCKET NO. PC11861A				SERIAL NO. 10/081,784				
				APPLICANT Frank Lombardo, et al.				RECEIVED OCT 15 2003 TC 1700				
				FILING DATE 02/21/2002								
U.S. PATENT DOCUMENTS												
EXAMINER INITIAL								DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
FOREIGN PATENT DOCUMENTS												
DOCUMENT NUMBER								DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION
												YES NO
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)												
[Signature]	Okada, J., et al., ¹³ C nuclear magnetic resonance spectra of antipyrine derivatives and their application to hansch analysis, <i>Chem. Pharm. Bull.</i> , Vol. 24(1): 61-71, 1976											
[Signature]	Pagliara, A., et al., Structural properties governing retention mechanisms on RP-HPLC stationary phases used for lipophilicity measurements, <i>Journal of Liquid Chromatography</i> , Vol. 18(9): 1721-1745, 1995											
[Signature]	Pauletti, G., et al., Can counterions affect the transport of a lipophilic diarylguanidine (CNS 1237) across caco-2 cell monolayers in vitro?, <i>Pharm. Res.</i> , Vol. 14: S-24, 1997											
[Signature]	Pertman, M., et al., Use of pH dependence of log D for PKA determination and formulation of diarylguanidines, <i>Pharm. Res.</i> , Vol. 13: S-339, 1996											
[Signature]	Prierwer, H., et al., Solubility and distribution coefficient of potassium and magnesium retaining triamterene derivatives, <i>Pharmazie</i> , Vol. 51: 279-282, 1996											
[Signature]	Sangster, J., Octanol-water partition coefficients: <i>Fundamentals and Physical Chemistry</i> , Wiley, New York, 79-112, 1997											
[Signature]	Scherrer, R., et al., Use of distribution coefficients in quantitative structure-activity relationships, <i>J. Med. Chem.</i> , Vol. 20(1): 53-58, 1977											
[Signature]	Schutz, V., et al., Screening, detection and biotransformation of Lormetazepam, a new hypnotic agent from the 1,4-benzodiazepine series, <i>Arzneim.-Forsch.</i> , Vol. 32: 177-183, 1977											
[Signature]	Seiler, P., et al., 5-Phenyl-1,3-dihydro-1,4-benzodiazepin-2-ones, Experimental verification of substituent constants, <i>Arzneim.-Forsch./Drug Res.</i> , Vol. 33: 1519-1522, 1983											
[Signature]	Sirius Technical Application Notes, Sirius Analytical Instruments, Ltd., Forest Row, East Sussex RH18 5DW, Vol. 1: pages 2, 3, 8, 84, 85, 86, 99b, 99c, 122 & 123, 1994											
[Signature]	Sirius Technical Application Notes, Sirius Analytical Instruments, Ltd., Forest Row, East Sussex RH18 5DW, Vol. 2: pages 36, 37, 81, 82, 83, 84, 114, 115, 167 & 168, 1995											
[Signature]	Slater, B., et al., pH-metric log P. 4. Comparison of partition coefficients determined by HPLC and potentiometric methods to literature values, <i>J. Pharm. Sci.</i> , Vol. 83(9): 1280-1283, 1994											
[Signature]	Smith, D., et al., Physicochemical properties in drug metabolism and pharmacokinetics, <i>Computer-Assisted Lead Finding and Optimization</i> , Ch. 17: 265-276, 1997											
EXAMINER												
JAN LUDLOW PRIMARY EXAMINER						DATE CONSIDERED						
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.												

TC 1700

INFORMATION DISCLOSURE CITATION LIST.DOT. 8/99

